ELSEVIER

Sedimentary Geology 135 (2000) 321–323

Sedimentary Geology

www.elsevier.nl/locate/sedgeo

Author Index Vol. 135 (2000)

Aloisi, G., see Cita, M. B. 135 (2000) 181
Aloisi, G., see Rebesco, M. 135 (2000) 65
Anastasakis, G., see Rothwell, R. G. 135 (2000) 75

Bischoff, J. L., see Smoot, J. P. 135 (2000) 241
Brahmantyo, B., see Takahama, N. 135 (2000) 157

Calvo, J. P., see Rodríguez-Pascua, M. A. 135 (2000) 117
Cernobori, L., see Rebesco, M. 135 (2000) 65
Cita, M. B. and G. Aloisi, Deep-sea tsunami deposits triggered by the explosion of Santorini (3500 y BP), eastern Mediterranean 135 (2000) 181
Cita, M. B., see Shiki, T. 135 (2000) vii

D'Alessandro, A., see Massari, F. 135 (2000) 265
De Diego, T., see Gorsline, D. S. 135 (2000) 21
De Vicente, G., see Rodríguez-Pascua, M. A. 135 (2000) 117

Fujiwara, O., F. Masuda, T. Sakai, T. Irizuki and K. Fuse, Tsunami deposits in Holocene bay mud in southern Kanto region, Pacific coast of central Japan 135 (2000) 219
Fukuyama, K., see Shiki, T. 135 (2000) 37
Fuse, K., see Fujiwara, O. 135 (2000) 219

Garcia, D., see Takayama, H. 135 (2000) 295
Góes, A. M., see Rossetti, D. F. 135 (2000) 137
Gómez-Gras, D., see Rodríguez-Pascua, M. A. 135 (2000) 117
Gorsline, D. S., see Shiki, T. 135 (2000) vii
Gorsline, D. S., T. De Diego and E. H. Nava-Sanchez, Seismically triggered turbidites in small margin basins: Alfonso Basin, Western Gulf of California and Santa Monica Basin, California Borderland 135 (2000) 21

Hasegawa, T., see Takayama, H. 135 (2000) 295
Hassler, S. W., H. F. Robey and B. M. Simonson, Bedforms produced by impact-generated tsunami, ~2.6 Ga Hamersley basin, Western Australia 135 (2000) 283
Hieke, W. and F. Werner, The Augias megaturbidite in the central Ionian Sea (central Mediterranean) and its relation to the Holocene Santorini event 135 (2000) 205
Hieke, W., Transparent layers in seismic reflection records from the central Ionian Sea (Mediterranean)—evidence for repeated catastrophic turbidite sedimentation during the Quaternary 135 (2000) 89

Inouchi, Y., see Shiki, T. 135 (2000) 37
Irizuki, T., see Fujiwara, O. 135 (2000) 219

PII: S0037-0738(00)00081-6

Ishii, M., see Nanayama, F. 135 (2000) 255
Iturralde-Vinent, M. A., see Takayama, H. 135 (2000) 295

Kähler, G., see Rothwell, R. G. 135 (2000) 75
Kanai, Y., see Nakajima, T. 135 (2000) 1
Kiyokawa, S., see Takayama, H. 135 (2000) 295
Koitabashi, S., see Nanayama, F. 135 (2000) 255
Kontani, Y., see Shiki, T. 135 (2000) 37
Kumon, F., see Shiki, T. 135 (2000) 37

Litwin, R. J., see Smoot, J. P. 135 (2000) 241
Lund, S. J., see Smoot, J. P. 135 (2000) 241

Massari, F. and A. D'Alessandro, Tsunami-related scour-and-drape undulations in Middle Pliocene restricted-bay carbonate deposits (Salento, south Italy) 135 (2000) 265
Masuda, F., see Fujiwara, O. 135 (2000) 219
Masuda, F., see Takashimizu, Y. 135 (2000) 231
Matsubara, H., see Shiki, T. 135 (2000) 37
Matsuda, J.-i., Seismic deformation structures of the post-2300 a BP muddy sediments in Kawachi lowland plain, Osaka, Japan 135 (2000) 99
Matsui, T., see Takayama, H. 135 (2000) 295
Miyasaka, S., see Nanayama, F. 135 (2000) 255
Moretti, M., Soft-sediment deformation structures interpreted as seismites in middle-late Pleistocene aeolian deposits (Apulian foreland, southern Italy) 135 (2000) 167

Nakajima, T. and Y. Kanai, Sedimentary features of seismoturbidites triggered by the 1983 and older historical earthquakes in the eastern margin of the Japan Sea 135 (2000) 1
Nanayama, F., K. Shigeno, K. Satake, K. Shimokawa, S. Koitabashi, S. Miyasaka and M. Ishii, Sedimentary differences between the 1993 Hokkaido-nansei-oki tsunami and the 1959 Miyakojima typhoon at Taisei, southwestern Hokkaido, northern Japan 135 (2000) 255
Nava-Sanchez, E. H., see Gorsline, D. S. 135 (2000) 21
Nilsen, T. H., The Hilt Bed, an Upper Cretaceous compound basin–plain seismoturbidite in the Hornbrook Forearc Basin of southern Oregon and northern California, USA 135 (2000) 51

Oji, T., see Takayama, H. 135 (2000) 295
Okada, H., see Takayama, H. 135 (2000) 295
Otsuka, T., see Takahama, N. 135 (2000) 157

Rebesco, M., B. Della Vedova, L. Cernobori and G. Aloisi, Acoustic facies of Holocene megaturbidites in the Eastern Mediterranean 135 (2000) 65
Reeder, M. S., see Rothwell, R. G. 135 (2000) 75
Robey, H. F., see Hassler, S. W. 135 (2000) 283
Rodríguez-Pascua, M. A., J. P. Calvo, G. De Vicente and D. Gómez-Gras, Soft-sediment deformation structures interpreted as seismites in lacustrine sediments of the Prebetic Zone, SE Spain, and their potential use as indicators of earthquake magnitudes during the Late Miocene 135 (2000) 117
Rossetti, D. F. and A. M. Góes, Deciphering the sedimentological imprint of paleoseismic events: an example from the Aptian Codó Formation, northern Brazil 135 (2000) 137
Rothwell, R. G., M. S. Reeder, G. Anastasakis, D. A. V. Stow, J. Thomson and G. Kähler, Low sea-level stand emplacement of megaturbidites in the western and eastern Mediterranean Sea 135 (2000) 75

Sakai, T., see Fujiwara, O. 135 (2000) 219
Sakamoto, T., see Shiki, T. 135 (2000) 37

Satake, K., see Nanayama, F. 135 (2000) 255
Shigeno, K., see Nanayama, F. 135 (2000) 255
Shiki, T., F. Kumon, Y. Inouchi, Y. Kontani, T. Sakamoto, M. Tateishi, H. Matsubara and K. Fukuyama, Sedimentary features of the seismo-turbidites, Lake Biwa, Japan 135 (2000) 37
Shiki, T., M. B. Cita and D. S. Gorsline, Sedimentary features of seismites, seismo-turbidites and tsunamiites—an introduction 135 (2000) vii
Shimokawa, K., see Nanayama, F. 135 (2000) 255
Simonson, B. M., see Hassler, S. W. 135 (2000) 283
Smoot, J. P., R. J. Litwin, J. L. Bischoff and S. J. Lund, Sedimentary record of the 1872 earthquake and "Tsunami" at Owens Lake, southeast California 135 (2000) 241
Stow, D. A. V., see Rothwell, R. G. 135 (2000) 75

Tada, R., see Takayama, H. 135 (2000) 295
Tajika, E., see Takayama, H. 135 (2000) 295
Takahama, N., T. Otsuka and B. Brahmantyo, A new phenomenon in ancient liquefaction—the draw-in process, its final stage 135 (2000) 157
Takashimizu, Y. and F. Masuda, Depositional facies and sedimentary successions of earthquake-induced tsunami deposits in Upper Pleistocene incised valley fills, central Japan 135 (2000) 231
Takayama, H., R. Tada, T. Matsui, M. A. Iturralde-Vinent, T. Oji, E. Tajika, S. Kiyokawa, D. Garcia, H. Okada, T. Hasegawa and K. Toyoda, Origin of the Peñalver Formation in northwestern Cuba and its relation to K/T boundary impact event 135 (2000) 295
Tateishi, M., see Shiki, T. 135 (2000) 37
Thomson, J., see Rothwell, R. G. 135 (2000) 75
Toyoda, K., see Takayama, H. 135 (2000) 295

Vedova, B. Della, see Rebesco, M. 135 (2000) 65

Werner, F., see Hieke, W. 135 (2000) 205